


Revised Thermocouple Reference Tables


TYPE
Reference
Tables
N.I.S.T.
Monograph 175
Revised to
ITS-90

C



Thermocouple
Grade

**Tungsten-
5% Rhenium**
vs.
**Tungsten-
26% Rhenium**



Extension
Grade

MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

-32 to 4208°F
-0 to 2320°C

Extension Grade

32 to 1600°F
0 to 870°C

LIMITS OF ERROR

(whichever is greater)

Standard: 4.5°C to 425°C

1.0% to 2320°C

Special: Not Established

COMMENTS, BARE WIRE ENVIRONMENT:

Vacuum; Inert; Hydrogen; Beware of

Embrittlement; Not Practical Below 750°F;

Not for Oxidizing Atmosphere

TEMPERATURE IN DEGREES °F

REFERENCE JUNCTION AT 32°F

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
0	-0.234	-0.227	-0.220	-0.213	-0.206	-0.198	-0.191	-0.184	-0.177	-0.169	-0.162	0
10	-0.162	-0.155	-0.148	-0.140	-0.133	-0.126	-0.118	-0.111	-0.104	-0.096	-0.089	10
20	-0.089	-0.082	-0.074	-0.067	-0.060	-0.052	-0.045	-0.037	-0.030	-0.023	-0.015	20
30	-0.015	-0.008	0.000	0.007	0.014	0.022	0.029	0.037	0.044	0.052	0.059	30
40	0.059	0.067	0.074	0.082	0.089	0.097	0.104	0.112	0.120	0.127	0.135	40
50	0.135	0.142	0.150	0.157	0.165	0.173	0.180	0.188	0.196	0.203	0.211	50
60	0.211	0.218	0.226	0.234	0.241	0.249	0.257	0.264	0.272	0.280	0.288	60
70	0.288	0.295	0.303	0.311	0.319	0.326	0.334	0.342	0.350	0.357	0.365	70
80	0.365	0.373	0.381	0.389	0.396	0.404	0.412	0.420	0.428	0.436	0.443	80
90	0.443	0.451	0.459	0.467	0.475	0.483	0.491	0.499	0.506	0.514	0.522	90
100	0.522	0.530	0.538	0.546	0.554	0.562	0.570	0.578	0.586	0.594	0.602	100
110	0.602	0.610	0.618	0.626	0.634	0.642	0.650	0.658	0.666	0.674	0.682	110
120	0.682	0.690	0.698	0.706	0.714	0.723	0.731	0.739	0.747	0.755	0.763	120
130	0.763	0.771	0.779	0.788	0.796	0.804	0.812	0.820	0.828	0.837	0.845	130
140	0.845	0.853	0.861	0.869	0.878	0.886	0.894	0.902	0.911	0.919	0.927	140
150	0.927	0.935	0.944	0.952	0.960	0.968	0.977	0.985	0.993	1.002	1.010	150
160	1.010	1.018	1.027	1.035	1.043	1.052	1.060	1.068	1.077	1.085	1.093	160
170	1.093	1.102	1.110	1.119	1.127	1.135	1.144	1.152	1.161	1.169	1.178	170
180	1.178	1.186	1.194	1.203	1.211	1.220	1.228	1.237	1.245	1.254	1.262	180
190	1.262	1.271	1.279	1.288	1.296	1.305	1.313	1.322	1.330	1.339	1.348	190
200	1.348	1.356	1.365	1.373	1.382	1.390	1.399	1.408	1.416	1.425	1.434	200
210	1.434	1.442	1.451	1.459	1.468	1.477	1.485	1.494	1.503	1.511	1.520	210
220	1.520	1.529	1.537	1.546	1.555	1.563	1.572	1.581	1.590	1.598	1.607	220
230	1.607	1.616	1.625	1.633	1.642	1.651	1.660	1.668	1.677	1.686	1.695	230
240	1.695	1.703	1.712	1.721	1.730	1.739	1.748	1.756	1.765	1.774	1.783	240
250	1.783	1.792	1.801	1.809	1.818	1.827	1.836	1.845	1.854	1.863	1.872	250
260	1.872	1.880	1.889	1.898	1.907	1.916	1.925	1.934	1.943	1.952	1.961	260
270	1.961	1.970	1.979	1.988	1.997	2.006	2.015	2.024	2.033	2.042	2.051	270
280	2.051	2.060	2.069	2.078	2.087	2.096	2.105	2.114	2.123	2.132	2.141	280
290	2.141	2.150	2.159	2.168	2.177	2.186	2.195	2.204	2.213	2.222	2.232	290
300	2.232	2.241	2.250	2.259	2.268	2.277	2.286	2.295	2.305	2.314	2.323	300
310	2.323	2.332	2.341	2.350	2.360	2.369	2.378	2.387	2.396	2.405	2.415	310
320	2.415	2.424	2.433	2.442	2.451	2.461	2.470	2.479	2.488	2.498	2.507	320
330	2.507	2.516	2.525	2.535	2.544	2.553	2.562	2.572	2.581	2.590	2.600	330
340	2.600	2.609	2.618	2.628	2.637	2.646	2.656	2.665	2.674	2.683	2.693	340
350	2.693	2.702	2.711	2.721	2.730	2.740	2.749	2.758	2.768	2.777	2.786	350
360	2.786	2.796	2.805	2.815	2.824	2.833	2.843	2.852	2.862	2.871	2.880	360
370	2.880	2.890	2.899	2.909	2.918	2.928	2.937	2.947	2.956	2.965	2.975	370
380	2.975	2.984	2.994	3.003	3.013	3.022	3.032	3.041	3.051	3.060	3.070	380
390	3.070	3.079	3.089	3.098	3.108	3.118	3.127	3.137	3.146	3.156	3.165	390
400	3.165	3.175	3.184	3.194	3.204	3.213	3.223	3.232	3.242	3.251	3.261	400
410	3.261	3.271	3.280	3.290	3.299	3.309	3.319	3.328	3.338	3.348	3.357	410
420	3.357	3.367	3.376	3.386	3.396	3.405	3.415	3.425	3.434	3.444	3.454	420
430	3.454	3.463	3.473	3.483	3.492	3.502	3.512	3.522	3.531	3.541	3.551	430
440	3.551	3.560	3.570	3.580	3.590	3.599	3.609	3.619	3.629	3.638	3.648	440
450	3.648	3.658	3.668	3.677	3.687	3.697	3.707	3.716	3.726	3.736	3.746	450
460	3.746	3.756	3.765	3.775	3.785	3.795	3.805	3.814	3.824	3.834	3.844	460
470	3.844	3.854	3.864	3.873	3.883	3.893	3.903	3.913	3.923	3.932	3.942	470
480	3.942	3.952	3.962	3.972	3.982	3.992	4.002	4.011	4.021	4.031	4.041	480
490	4.041	4.051	4.061	4.071	4.081	4.091	4.101	4.110	4.120	4.130	4.140	490

°F	0	1	2	3	4	5	6	7	8	9	10	°F
500	4.140	4.150	4.160	4.170	4.180	4.190	4.200	4.210	4.220	4.230	4.240	500
510	4.240	4.250	4.260	4.270	4.280	4.290	4.299	4.309	4.319	4.329	4.339	510
520	4.339	4.349	4.359	4.369	4.379	4.389	4.399	4.410	4.420	4.430	4.440	520
530	4.440	4.450	4.460	4.470	4.480	4.490	4.500	4.510	4.520	4.530	4.540	530
540	4.540	4.550	4.560	4.570	4.580	4.590	4.600	4.610	4.621	4.631	4.641	540
550	4.641	4.651	4.661	4.671	4.681	4.691	4.701	4.711	4.722	4.732	4.742	550
560	4.742	4.752	4.762	4.772	4.782	4.792	4.803	4.813	4.823	4.833	4.843	560
570	4.843	4.853	4.863	4.874	4.884	4.894	4.904	4.914	4.924	4.935	4.945	570
580	4.945	4.955	4.965	4.975	4.985	4.996	5.006	5.016	5.026	5.036	5.047	580
590	5.047	5.057	5.067	5.077	5.087	5.098	5.108	5.118	5.128	5.139	5.149	590
600	5.149	5.159	5.169	5.180	5.190	5.200	5.210	5.220	5.231	5.241	5.251	600
610	5.251	5.261	5.272	5.282	5.292	5.303	5.313	5.323	5.333	5.344	5.354	610
620	5.354	5.364	5.375	5.385	5.395	5.405	5.416	5.426	5.436	5.447	5.457	620
630	5.457	5.467	5.478	5.488	5.498	5.508	5.519	5.529	5.539	5.550	5.560	630
640	5.560	5.570	5.581	5.591	5.601	5.612	5.622	5.632	5.643	5.653	5.664	640
650	5.664	5.674	5.684	5.695	5.705	5.715	5.726	5.736	5.746	5.757	5.767	650
660	5.767	5.778	5.788	5.798	5.809	5.819	5.830	5.840	5.850	5.861	5.871	660
670	5.871	5.882	5.892	5.902	5.913	5.923	5.934	5.944	5.954	5.965	5.975	670
680	5.975	5.986	5.996	6.007	6.017	6.027	6.038	6.048	6.059	6.069	6.080	680
690	6.080	6.090	6.100	6.111	6.121	6.132	6.142	6.153	6.163	6.174	6.184	690
700	6.184	6.195	6.205	6.216	6.226	6.236	6.247	6.257	6.268	6.278	6.289	700
710	6.289	6.299	6.310	6.320	6.331	6.341	6.352	6.362	6.373	6.383	6.394	710
720	6.394	6.404	6.415	6.425	6.436	6.446	6.457	6.467	6.478	6.488	6.499	720
730	6.499	6.509	6.520	6.531	6.541	6.552	6.562	6.573	6.583	6.594	6.604	730
740	6.604	6.615	6.625	6.636	6.646	6.657	6.668	6.678	6.689	6.699	6.710	740
750	6.710	6.720	6.731	6.741	6.752	6.763	6.773	6.784	6.794	6.805	6.815	750
760	6.815	6.826	6.837	6.847	6.858	6.868	6.879	6.890	6.900	6.911	6.921	760
770	6.921	6.932	6.943	6.953	6.964	6.974	6.985	6.996	7.006	7.017	7.027	770
780	7.027	7.038	7.049	7.059	7.070	7.080	7.091	7.102	7.112	7.123	7.134	780
790	7.134	7.144	7.155	7.165	7.176	7.187	7.197	7.208	7.219	7.229	7.240	790
800	7.240	7.250	7.261	7.272	7.282	7.293	7.304	7.314	7.325	7.336	7.346	800
810	7.346	7.357	7.368	7.378	7.389	7.400	7.410	7.421	7.432	7.442	7.453	810
820	7.453	7.464	7.474	7.485	7.496	7.506	7.517	7.528	7.538	7.549	7.560	820
830	7.560											

MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

-32 to 4208°F
-0 to 2320°C

Extension Grade

32 to 1600°F
0 to 870°C

LIMITS OF ERROR

(whichever is greater)
Standard: 4.5°C to 425°C
1.0% to 2320°C


Special: Not Established

COMMENTS, BARE WIRE ENVIRONMENT:

Vacuum, Inert; Hydrogen; Beware of Embrittlement; Not Practical Below 750°F; Not for Oxidizing Atmosphere

TEMPERATURE IN DEGREES °F

REFERENCE JUNCTION AT 32°F



Thermocouple Grade

NONE ESTABLISHED

Tungsten-5% Rhenium vs. Tungsten-26% Rhenium



Extension Grade

Revised Thermocouple Reference Tables

TYPE
Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90



Z

Thermoelectric Voltage in Millivolts


Table with columns for temperature in °F and °C, and rows for thermoelectric voltage in millivolts. The table is split into two main sections, each with 10 columns of data.

Revised Thermocouple Reference Tables

TYPE

Reference Tables
N.I.S.T.
Monograph 175
Revised to
ITS-90

C



Thermocouple Grade
NONE ESTABLISHED
Tungsten-5% Rhenium vs. Tungsten-26% Rhenium
Extension Grade

MAXIMUM TEMPERATURE RANGE
Thermocouple Grade
 -32 to 4208°F
 -0 to 2320°C
Extension Grade
 32 to 1600°F
 0 to 870°C
LIMITS OF ERROR (whichever is greater)
Standard: 4.5°C to 425°C
 1.0% to 2320°C
Special: Not Established
COMMENTS, BARE WIRE ENVIRONMENT:
 Vacuum, Inert; Hydrogen; Beware of Embrittlement; Not Practical Below 750°F; Not for Oxidizing Atmosphere
TEMPERATURE IN DEGREES °F REFERENCE JUNCTION AT 32°F

Thermoelectric Voltage in Millivolts


°F	0	1	2	3	4	5	6	7	8	9	10	°F
2000	19.947	19.957	19.967	19.977	19.987	19.997	20.007	20.017	20.026	20.036	20.046	2000
2010	20.046	20.056	20.066	20.076	20.086	20.096	20.106	20.116	20.125	20.135	20.145	2010
2020	20.145	20.155	20.165	20.175	20.185	20.195	20.204	20.214	20.224	20.234	20.244	2020
2030	20.244	20.254	20.264	20.274	20.283	20.293	20.303	20.313	20.323	20.333	20.343	2030
2040	20.343	20.352	20.362	20.372	20.382	20.392	20.402	20.411	20.421	20.431	20.441	2040
2050	20.441	20.451	20.461	20.470	20.480	20.490	20.500	20.510	20.520	20.529	20.539	2050
2060	20.539	20.549	20.559	20.569	20.578	20.588	20.598	20.608	20.618	20.627	20.637	2060
2070	20.637	20.647	20.657	20.667	20.676	20.686	20.696	20.706	20.716	20.725	20.735	2070
2080	20.735	20.745	20.755	20.765	20.774	20.784	20.794	20.804	20.813	20.823	20.833	2080
2090	20.833	20.843	20.852	20.862	20.872	20.882	20.891	20.901	20.911	20.921	20.930	2090
2100	20.930	20.940	20.950	20.960	20.969	20.979	20.989	20.999	21.008	21.018	21.028	2100
2110	21.028	21.037	21.047	21.057	21.067	21.076	21.086	21.096	21.106	21.115	21.125	2110
2120	21.125	21.135	21.144	21.154	21.164	21.173	21.183	21.193	21.203	21.212	21.222	2120
2130	21.222	21.232	21.241	21.251	21.261	21.270	21.280	21.290	21.300	21.310	21.319	2130
2140	21.319	21.328	21.338	21.348	21.357	21.367	21.377	21.386	21.396	21.406	21.415	2140
2150	21.415	21.425	21.435	21.444	21.454	21.464	21.473	21.483	21.493	21.502	21.512	2150
2160	21.512	21.521	21.531	21.541	21.550	21.560	21.570	21.579	21.589	21.599	21.608	2160
2170	21.608	21.618	21.627	21.637	21.647	21.656	21.666	21.675	21.685	21.695	21.704	2170
2180	21.704	21.714	21.723	21.733	21.743	21.752	21.762	21.771	21.781	21.791	21.800	2180
2190	21.800	21.810	21.819	21.829	21.838	21.848	21.858	21.867	21.877	21.886	21.896	2190
2200	21.896	21.905	21.915	21.925	21.934	21.944	21.953	21.963	21.972	21.982	21.991	2200
2210	21.991	22.001	22.011	22.020	22.030	22.039	22.049	22.058	22.068	22.077	22.087	2210
2220	22.087	22.096	22.106	22.115	22.125	22.134	22.144	22.153	22.163	22.172	22.182	2220
2230	22.182	22.192	22.201	22.211	22.220	22.230	22.239	22.249	22.258	22.268	22.277	2230
2240	22.277	22.286	22.296	22.305	22.315	22.324	22.334	22.343	22.353	22.362	22.372	2240
2250	22.372	22.381	22.391	22.400	22.410	22.419	22.429	22.438	22.448	22.457	22.466	2250
2260	22.466	22.476	22.485	22.495	22.504	22.514	22.523	22.533	22.542	22.551	22.561	2260
2270	22.561	22.570	22.580	22.589	22.599	22.608	22.618	22.627	22.636	22.646	22.655	2270
2280	22.655	22.665	22.674	22.683	22.693	22.702	22.712	22.721	22.730	22.740	22.749	2280
2290	22.749	22.759	22.768	22.777	22.787	22.796	22.806	22.815	22.824	22.834	22.843	2290
2300	22.843	22.853	22.862	22.871	22.881	22.890	22.899	22.909	22.918	22.928	22.937	2300
2310	22.937	22.946	22.956	22.965	22.974	22.984	22.993	23.002	23.012	23.021	23.030	2310
2320	23.030	23.040	23.049	23.058	23.068	23.077	23.086	23.096	23.105	23.114	23.124	2320
2330	23.124	23.133	23.142	23.152	23.161	23.170	23.180	23.189	23.198	23.208	23.217	2330
2340	23.217	23.226	23.236	23.245	23.254	23.263	23.273	23.282	23.291	23.301	23.310	2340
2350	23.310	23.319	23.328	23.338	23.347	23.356	23.366	23.375	23.384	23.393	23.403	2350
2360	23.403	23.412	23.421	23.431	23.440	23.449	23.458	23.468	23.477	23.486	23.495	2360
2370	23.495	23.505	23.514	23.523	23.532	23.542	23.551	23.560	23.569	23.579	23.588	2370
2380	23.588	23.597	23.606	23.615	23.625	23.634	23.643	23.652	23.662	23.671	23.680	2380
2390	23.680	23.689	23.698	23.708	23.717	23.726	23.735	23.744	23.754	23.763	23.772	2390
2400	23.772	23.781	23.790	23.800	23.809	23.818	23.827	23.836	23.846	23.855	23.864	2400
2410	23.864	23.873	23.882	23.891	23.901	23.910	23.919	23.928	23.937	23.946	23.956	2410
2420	23.956	23.965	23.974	23.983	23.992	24.001	24.010	24.020	24.029	24.038	24.047	2420
2430	24.047	24.056	24.065	24.074	24.084	24.093	24.102	24.111	24.120	24.129	24.138	2430
2440	24.138	24.147	24.157	24.166	24.175	24.184	24.193	24.202	24.211	24.220	24.229	2440
2450	24.229	24.239	24.248	24.257	24.266	24.275	24.284	24.293	24.302	24.311	24.320	2450
2460	24.320	24.330	24.339	24.348	24.357	24.366	24.375	24.384	24.393	24.402	24.411	2460
2470	24.411	24.420	24.429	24.438	24.447	24.456	24.466	24.475	24.484	24.493	24.502	2470
2480	24.502	24.511	24.520	24.529	24.538	24.547	24.556	24.565	24.574	24.583	24.592	2480
2490	24.592	24.601	24.610	24.619	24.628	24.637	24.646	24.655	24.664	24.673	24.682	2490

°F	0	1	2	3	4	5	6	7	8	9	10	°F
2500	24.682	24.691	24.700	24.709	24.718	24.727	24.736	24.745	24.754	24.763	24.772	2500
2510	24.772	24.781	24.790	24.799	24.808	24.817	24.826	24.835	24.844	24.853	24.862	2510
2520	24.862	24.871	24.880	24.889	24.898	24.907	24.916	24.925	24.934	24.943	24.952	2520
2530	24.952	24.961	24.970	24.979	24.988	24.996	25.005	25.014	25.023	25.032	25.041	2530
2540	25.041	25.050	25.059	25.068	25.077	25.086	25.095	25.104	25.113	25.122	25.130	2540
2550	25.130	25.139	25.148	25.157	25.166	25.175	25.184	25.193	25.202	25.211	25.219	2550
2560	25.219	25.228	25.237	25.246	25.255	25.264	25.273	25.282	25.291	25.299	25.308	2560
2570	25.308	25.317	25.326	25.335	25.344	25.353	25.362	25.370	25.379	25.388	25.397	2570
2580	25.397	25.406	25.415	25.424	25.432	25.441	25.450	25.459	25.468	25.477	25.486	2580
2590	25.486	25.494	25.503	25.512	25.521	25.530	25.539	25.547	25.556	25.565	25.574	2590
2600	25.574	25.583	25.592	25.600	25.609	25.618	25.627	25.636	25.644	25.653	25.662	2600
2610	25.662	25.671	25.680	25.688	25.697	25.706	25.715	25.724	25.732	25.741	25.750	2610
2620	25.750	25.759	25.767	25.776	25.785	25.794	25.803	25.811	25.820	25.829	25.838	2620
2630	25.838	25.846	25.855	25.864	25.873	25.882	25.890	25.899	25.908	25.917	25.925	2630
2640	25.925	25.934	25.943	25.952	25.960	25.969	25.978	25.986	25.995	26.004	26.013	2640
2650	26.013	26.021	26.030	26.039	26.048	26.056	26.065	26.074	26.082	26.091	26.100	2650
2660	26.100	26.109	26.117	26.126	26.135	26.143	26.152	26.161	26.170	26.178	26.187	2660
2670	26.187	26.196	26.204	26.213	26.222	26.230	26.239	26.248	26.256	26.265	26.274	2670
2680	26.274	26.282	26.291	26.300	26.308	26.317	26.326	26.334	26.343	26.352	26.360	2680
2690	26.360	26.369	26.378	26.386	26.395	26.404	26.412	26.421	26.430	26.438	26.447	2690
2700	26.447	26.455	26.464	26.473	26.481	26.490	26.499	26.507	26.516	26.524	26.533	2700
2710	26.533	26.542	26.550	26.559	26.568	26.576	26.585	26.593	26.602	26.611	26.619	2710
2720	26.619	26.628	26.636	26.645	26.654	26.662	26.671	26.679	26.688	26.696	26.705	2720
2730	26.705	26.714	26.722	26.731	26.739	26.748	26.756	26.765	26.774	26.782	26.791	2730
2740	26.791	26.799	26.808	26.816	26.825	26.834	26.842	26.851	26.859	26.868	26.876	2740
2750	26.876	26.885	26.893	26.902	26.910	26.919	26.927	26.936	26.945	26.953	26.962	2750
2760	26.962	26.970	26.979	26.987	26.996	27.004	27.013	27.021	27.030	27.038	27.047	2760
2770	27.047	27.055	27.064	27.072	27.081	27.089	27.098	27.106	27.115	27.123	27.132	2770
2780	27.132	27.140	27.149	27.157	27.166	27.174	27.183	27.191	27.200	27.208	27.216	2780
2790	27.216	27.225	27.233	27.242	27.250	27.259	27.267	27.276				

Revised Thermocouple Reference Tables

TYPE C

Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90



MAXIMUM TEMPERATURE RANGE
Thermocouple Grade
 -32 to 4208°F
 -0 to 2320°C
Extension Grade
 32 to 1600°F
 0 to 870°C
LIMITS OF ERROR
 (whichever is greater)
Standard: 4.5°C to 425°C
 1.0% to 2320°C
Special: Not Established
COMMENTS, BARE WIRE ENVIRONMENT:
 Vacuum, Inert; Hydrogen; Beware of Embrittlement; Not Practical Below 750°F; Not for Oxidizing Atmosphere
TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F	°F	0	1	2	3	4	5	6	7	8	9	10	°F
4000	35.978	35.984	35.989	35.995	36.001	36.007	36.013	36.018	36.024	36.030	36.036	4000	4100	36.539	36.545	36.550	36.556	36.561	36.566	36.572	36.577	36.583	36.588	36.594	4100
4010	36.036	36.041	36.047	36.053	36.058	36.064	36.070	36.076	36.081	36.087	36.093	4010	4110	36.594	36.599	36.604	36.610	36.615	36.621	36.626	36.631	36.637	36.642	36.647	4110
4020	36.093	36.099	36.104	36.110	36.116	36.121	36.127	36.133	36.138	36.144	36.150	4020	4120	36.647	36.653	36.658	36.664	36.669	36.674	36.680	36.685	36.690	36.696	36.701	4120
4030	36.150	36.155	36.161	36.167	36.172	36.178	36.184	36.189	36.195	36.201	36.206	4030	4130	36.701	36.706	36.712	36.717	36.722	36.728	36.733	36.738	36.744	36.749	36.754	4130
4040	36.206	36.212	36.218	36.223	36.229	36.235	36.240	36.246	36.251	36.257	36.263	4040	4140	36.754	36.760	36.765	36.770	36.775	36.781	36.786	36.791	36.797	36.802	36.807	4140
4050	36.263	36.268	36.274	36.280	36.285	36.291	36.296	36.302	36.308	36.313	36.319	4050	4150	36.807	36.812	36.818	36.823	36.828	36.833	36.839	36.844	36.849	36.854	36.860	4150
4060	36.319	36.324	36.330	36.335	36.341	36.347	36.352	36.358	36.363	36.369	36.374	4060	4160	36.860	36.865	36.870	36.875	36.881	36.886	36.891	36.896	36.901	36.907	36.912	4160
4070	36.374	36.380	36.385	36.391	36.397	36.402	36.408	36.413	36.419	36.424	36.430	4070	4170	36.912	36.917	36.922	36.927	36.933	36.938	36.943	36.948	36.953	36.958	36.964	4170
4080	36.430	36.435	36.441	36.446	36.452	36.457	36.463	36.468	36.474	36.479	36.485	4080	4180	36.964	36.969	36.974	36.979	36.984	36.989	36.994	37.000	37.005	37.010	37.015	4180
4090	36.485	36.490	36.496	36.501	36.507	36.512	36.517	36.523	36.528	36.534	36.539	4090	4190	37.015	37.020	37.025	37.030	37.035	37.041	37.046	37.051	37.056	37.061	37.066	4190
°F	0	1	2	3	4	5	6	7	8	9	10	°F	°F	0	1	2	3	4	5	6	7	8	9	10	°F